



Introduction to Building Decarbonization

Drury Crawley, Ph.D., FASHRAE, BEMP, FIBPSA
Bentley Systems, Inc.

6 April 2023

1

1

Distinguished Lecturer (DL) Program

This ASHRAE Distinguished Lecturer is brought to you by the ASHRAE Society Chapter Technology Transfer Committee (CTTC).

- Please silence your phones.
- DL Evaluation Forms are very important. Please complete at the end of the presentation and return to the CTTC Chair or Program Chair.
- Lecturer presentations and/or opinions do not necessarily reflect the policies or position of ASHRAE or the chapter.
- More information on the DL Program available at: ashrae.org/distinguishedlecturers

3

3

LEADERSHIP WANTED!

Become a future leader in ASHRAE – Write the next chapter in your career!

ASHRAE members who are active at their chapter and society becomes leaders and bring information and technology back to their job.

You are needed for:

- Society Technical Committees
- Society Standard Committees
- Young Engineers in ASHRAE
- Chapter Membership Promotion
- Chapter Research Promotion
- Chapter Student Activities
- Chapter Technology Transfer

Find your place in ASHRAE and volunteer

ashrae.org/volunteer



4

4

Acknowledgements

Much of the material here comes from the many sources identified by members of the Task Force for Building Decarbonization.

Thanks specifically to Kent Peterson, Ginger Scoggins, Don Brandt, Don Colliver, Tom Phoenix, Bing Liu, Katherine Hammack, Lance Davis, and Luke Leung for their insights and source data and information from their presentations.


Also, thanks to all the volunteers of the Task Force for Building Decarbonization who collectively have identified hundreds of resources and documents on decarbonization

9


9




12





13




14



15





18


Why Is Carbon Important?

- Global human-caused emissions must reach net zero by approximately midcentury to limit climate change to substantially less than 2C (IPCC 2018)
- Climate stabilization requires full decarbonization of our energy systems and zero net greenhouse-gas emissions by around 2070 (World Economic Forum 2015)
- Many nations, states, cities, and companies have committed to replacing our current energy system by midcentury with a system that would emit zero net human-caused greenhouse gases (GHGs): CDP, USCA, NAS (2021), WEF (2015)

19

Where are GHGs Being Produced?

Half of the cumulative man-made carbon emissions since 1750 have occurred in the past 40 years



Source: IPCC 2014

22

22

Why Decarbonize Buildings?

- Climate change is likely the most formidable environmental challenge every faced by society
- Buildings already represent 37% of global energy-related carbon emissions and the global building stock is expected to double by 2060
- With 40+ year lifetime, buildings can lock in high emissions for decades
- UNEP estimates that direct carbon emissions from building operations must be cut by ~50% and indirect emissions from power generation must drop by about 60% by 2030 → emissions must drop by 6%/year over this decade (equal to building sector temporary reduction in carbon during the COVID pandemic)

23

23



28

Basic Terms: Carbon Dioxide (CO₂), Global Warming Potential, and Greenhouse Gas

Term	Definition
Carbon dioxide (CO ₂)	A naturally occurring gas, CO ₂ is also a by-product of burning fossil fuels (such as oil, gas and coal), of burning biomass, of land-use changes (LUC) and of industrial processes (e.g., cement production). It is the principal anthropogenic greenhouse gas (GHG) that affects the Earth's radiative balance. It is the reference gas against which other GHGs are measured and therefore has a global warming potential (GWP) of 1.
Global Warming Potential (GWP)	An index for estimating the relative global warming contribution of atmospheric emissions of a particular greenhouse gas compared to emissions of an equal mass of carbon dioxide (CO ₂).
Greenhouse Gases (GHG)	Greenhouse gases are those gaseous constituents of the atmosphere, both natural and anthropogenic, that absorb and emit radiation at specific wavelengths within the spectrum of terrestrial radiation emitted by the Earth's surface, the atmosphere itself and by clouds--causing the greenhouse effect. Water vapour (H ₂ O), carbon dioxide (CO ₂), nitrous oxide (N ₂ O), methane (CH ₄) and ozone (O ₃) are the primary GHGs in the Earth's atmosphere. Entirely human-made GHGs include halocarbons and other chlorine- and bromine-containing substances (Montreal Protocol). Kyoto Protocol covers CO ₂ , N ₂ O and CH ₄ as well as sulphur hexafluoride (SF ₆), hydrofluorocarbons (HFCs) and perfluorocarbons (PFCs). IPCC 2018

29

29

Basic Terms: Carbon Dioxide Equivalent (CO₂-e) Emissions

Term	Definition
Carbon dioxide equivalent (CO ₂ -e) emissions	The amount of carbon dioxide (CO ₂) emission that would cause the same integrated radiative forcing or temperature change, over a given time horizon, as an emitted amount of a greenhouse gas (GHG) or a mixture of GHGs. Typically, the CO ₂ -equivalent emission is obtained by multiplying the emission of a GHG by its global warming potential (GWP) for a 100-year time horizon. For a mix of GHGs it is obtained by summing the CO ₂ -equivalent emissions of each gas.



Carbon emissions

IPCC 2018

30

30

Basic Terms: Carbon, Emissions, and Electrification

Term	Definition
Operational Carbon	CO ₂ e emissions associated with energy and water used to operate the building/site or in the operation of infrastructure over its lifetime.
Embodied Carbon	CO ₂ e emissions associated with materials and construction processes throughout the whole life cycle of a building.
Direct Emissions	GHG emissions primarily from on-site combustion of fossil fuels
Indirect Emissions	GHG emissions primarily from electricity generated off-site to power buildings, includes district energy supplied
Electrification	Replacing direct fossil fuel use with electricity to reduce overall emissions and lower air pollutants.

IPCC 2018

31

31

Basic Terms: LCA, EPD, CCUS, Site Carbon Sequestration, and BPS

Term	Definition
Life Cycle Assessment (LCA)	Methodology for assessing potential environmental of a product, service, or building throughout its life cycle.
Environmental Product Declaration (EPD)	Independently verified and registered document that presents transparent and comparable information about the life-cycle environmental impact of products, enabling comparisons among products.
Carbon capture, utilization, and storage (CCUS)	Capturing carbon emission from sources such as coal-fired power plants and either reuse or store the carbon so that it does not enter the atmosphere.
Site Carbon Sequestration	Long-term process of capturing and storing carbon emissions in solid and dissolved forms at the site to prevent it from entering the atmosphere. Carbon sequestration can be biological (plants) and geological.
Building Performance Standards (BPS)	Government policy (<u>national, state or local</u>) that requires building owners to actively improve their building's performance over time to meet performance targets. Targets can include energy and/or emissions targets requiring improved energy efficiency, reduced climate impacts, <u>and renewable energy</u> .

IPCC 2018

32


32

Carbon in Buildings

33

33

Carbon Life Cycle of a Building



Adapted from BS EN 15978:2011

34

34

Building Decarbonization

36

36

What is Building Decarbonization?

- Reducing or eliminating man-made carbon emissions relating to buildings
→ Goal is to eliminate man-made carbon emissions entirely
- Decarbonization pillars
 - Reduce carbon emissions in materials and systems
 - Energy efficiency
 - Switching to cleaner energy sources
 - Shifting to electricity produced with low-carbon energy sources

37

37

Building Decarbonization Basics

- Buildings must continue to provide healthy environments that enhance occupant productivity and wellbeing
- Buildings can be designed, built, and operated to minimize energy and carbon emissions
- HVAC&R systems have direct and indirect carbon emissions
- Energy use
- Refrigerant emissions
- Embodied carbon
- Determine whether direct or indirect emissions based on where the emission occur


38

38

Key Pillars of Buildings Decarbonization

Continued construction (activity) will be offset by range of mitigation measures

Electrification and energy efficiency account for nearly 70% buildings-related emissions reductions through to 2050, followed by solar thermal, bioenergy, and behavior



Source: IEA 2021a

39

39

Building Decarbonization Principles

- **Reuse existing** buildings, structures, and materials whenever possible
- **Optimize building orientation and geometry** to reduce energy use and maximize solar potential
- **Prioritize passive efficiency** to reduce energy use before implementing **active efficiency measures**
- Optimize waste energy use
- **Minimize embodied carbon** in new **construction materials and construction**
- **Electrify space and water heating and cooking** where feasible
- **Use low GWP refrigerants** while maintaining energy efficiency
- Optimize **on-site renewable energy** resources
- **Purchase off-site renewable energy**
- **Real time carbon usage/removal**
- **Purchase carbon offsets** for any remaining emissions

40

40

Building Decarbonization Issues


- One-size does not fit all
 - Residential – commercial - industrial
 - New vs retrofit (60-80% of buildings in 2050 are already built depending on the country)
 - Spectrum of existing generation fuel mix
 - Developed vs underdeveloped countries

41

41

Building Decarbonization Issues

Standards and Codes – Scope is not uniform



Source: Adapted from GABC/IEA/UNEP 2020

44

44

Building Decarbonization Issues

- Metrics
 - Energy use or carbon (embodied and operational)
 - Carbon metrics – average, hourly, historical, forward looking, cost?
 - Offsets—allowed in CIBSE, USEPA, WRI but not ASHRAE 228P
 - Benchmarks – common measurement scale
 - Inclusion of plug loads or just thermal
 - Embodied carbon / LCA – availability of data and geographically differences

45

45

Building Decarbonization Issues

- Refrigerant Leakage

Application	Annual Leakage Rate
Domestic Refrigeration	0.1 – 0.5%
Stand-Alone Commercial Applications	1 – 10%
Medium and Large Commercial Refrigeration	10 – 30%
Transport Refrigeration	15 – 50%
Industrial Refrigeration including Food Processing and Cold Storage	7 – 25%
Chillers	2 – 15%
Residential and Commercial A/C, including Heat Pumps	1 – 5%
Mobile Air Conditioners	10 – 20%

IPCC 2000

46


46

Building Decarbonization Issues

- Timing of Energy Use – generation source and emissions are time dependent
- Energy storage –thermal and electrical
- Cold climates and heat pump heating and SWH
- Controls & communication –internal and with the grid (more than load controllers)
- Maintenance and operation complexities
- Commissioning and retro-commissioning

47

47



49

Building Performance Standard Example – Boston, MA

Building use	Emissions standard (kgCO ₂ e/SF/yr.)					
	2025 - 2029	2030-2034	2035-2039	2040-2044	2045-2049	2050-
<u>Assembly</u>	7.8	4.6	3.3	2.1	1.1	0
<u>College/ University</u>	10.2	5.3	3.8	2.5	1.2	0
<u>Education</u>	3.9	2.4	1.8	1.2	0.6	0
<u>Food Sales & Service</u>	17.4	10.9	8.0	5.4	2.7	0
<u>Healthcare</u>	15.4	10.0	7.4	4.9	2.4	0
<u>Lodging</u>	5.8	3.7	2.7	1.8	0.9	0
<u>Manufacturing/ Industrial</u>	23.9	15.3	10.9	6.7	3.2	0
<u>Multifamily housing</u>	4.1	2.4	1.8	1.1	0.6	0
<u>Office</u>	5.3	3.2	2.4	1.6	0.8	0
<u>Retail</u>	7.1	3.4	2.4	1.5	0.7	0
<u>Services</u>	7.5	4.5	3.3	2.2	1.1	0
<u>Storage</u>	5.4	2.8	1.8	1.0	0.4	0
<u>Technology/Science</u>	19.2	11.1	7.8	5.1	2.5	0

Source: City of Boston 2021

51

51

WIND AND SOLAR SHARE OF ELECTRICITY GENERATION




53

53


Using natural processes and manmade means of storing carbon away from the atmosphere:

- Oceanic
- Terrestrial
- Geologic




55

55




57



58

Example Carbon Capture Process



Source: Carbon Quest 2022

59

59

Whole Building Life Cycle Analysis


- What is Whole Building Life Cycle Analysis?
 - Science-based methodology for quantifying lifetime environmental impacts
 - Most effective tool available to measure the life-cycle carbon emissions of any construction project
 - Often a mandatory part of planning regulations in many countries and green building certifications
- LCA looks at key environmental and resource use indicators over a building's life
 - GWP, Acidification Potential, Eutrophication Potential, Ozone Depletion Potential, Photochemical Ozone Create Potential, and Abiotic Depletion Potential for Fossil Resources

60

60

Why do LCA?

Opportunity to reduce embodied carbon declines as the project moves through design, construction and into operation



Source: WBCSD 2021

61

61

Green Building Certifications Require LCA

LEED v4.1

Whole Building Life Cycle Assessment: Up to 3 points for performing LCA and reducing carbon of structure and enclosure by 10%



ILFI Zero Carbon Certification

Reduce embodied carbon of primary foundation, structure, and enclosure by 10% -- max 500 kgCO₂e/m²



BREEAM

Assess embodied carbon of building elements or of whole building through LCA.



62

62

What LCA Tools are Available?

Databases

- Inventory of Carbon and Energy (ICE) <http://www.circularecology.com/embodied-energy-and-carbon-footprint-database.html#.XVWHdo7Vnlw> (UK focused)
- Quartz <http://quartzproject.org/> (typical impacts of 100 generic products)

Early Phase Embodied Carbon Estimating Tools

- Carbon Designer
<https://www.oneclicklca.com/carbon-designer/> (early design phase add-on to One Click LCA)
- Construction Carbon Calculator <http://buildcarbonneutral.org/> (few building details needed but a bit old)
- EcoCalculator <https://calculatelca.com/software/ecocalculator/> (entry level LCA tool)

Source: Building Green 2019, USGBC 2022

63

63

Whole Building Life-Cycle Assessment Tools

- Athena Impact Estimator
<http://www.athenasmi.org/our-software-data/impact-estimator/> (easy access to advanced life-cycle inventory data)
- One Click LCA
<https://www.oneclicklca.com/> (early to late LCA analysis, increasing detail throughout design)
- Tally
<https://choosetally.com/> (BIM plug-in for very detailed LCA analysis, embodied carbon not considered)
- EC3 (Embodied Carbon Construction Calculator)
<https://www.buildingtransparency.org/> (open access, free database of construction EPDs with building impact calculator)

Source: Building Green 2019, USGSA 2022

64

64


Environmental Product Declarations (EPD)

- Independently verified and registered document that presents transparent and comparable information about the life-cycle environmental impact of products, enabling comparisons among products.
- Accurate data on embodied carbon and environmental impact of materials and systems
- Developed in accordance with ISO 14025 (ISO 2006) and other standards
- EPD data is collated into various database products
- EPD data is **critical for performing accurate LCA**
- **Most MEP equipment sold in the US** do not have EPD data

65

65

What Does it Take to Do a Building LCA?



Source: ISO 14040

66

66

Building Equipment

- **Fossil fuel powered equipment**
 - Furnaces, boilers, heating equipment, SWH
- **Alternatives to reduce carbon**
 - Lower GWP refrigerants
 - Green fuels (hydrogen)
 - Renewable gas (methane recovery)
 - Bio-fuels (cooking oil)
- **Heat pumps**

68

68

Lower GWP Refrigerants

R-410A	R-134A	R-32	R-513A	HFO R1234yf	HFO-1234ze(E)	R514A
2088	1300	675	547	4	< 1	1
Global Warming Potential						
A1	A1	A2L	A1	A2L	A2L	B1
ASHRAE Standard 34 Refrigerant Safety Classification						

Source: ASHRAE 2019

69

69

Heat Pumps

Thermodynamic heating/refrigerating system to transfer heat. The condenser and evaporator may change roles to transfer heat in either direction. By receiving the flow of air or other fluid, a heat pump is used to cool or heat. Heat pumps may be the air source with heat transfer between the indoor air stream to outdoor air or water source with heat transfer between the indoor air stream and a hydronic source (ground loop, evaporative cooler, cooling tower, or domestic water). (ASHRAE)

Heat pump sources and sinks include:

- Air
- Water
- Ground-coupled
- Solar Energy
- Industrial

Product scale – everything from residential appliances to large heat recovery and HP chillers, and industrial HPs

Source: ASHRAE Terminology 2022a

71

71

Heat Pump Examples



Water-source heat pumps



Water-to-water heat pump



Air-source heat pumps




Source: Courtesy of Trane

73

73

Heat pump appliances

Heat Pump Water Heater



Source: USDOE 2022

Heat Pump Dryer



Source: USEPA EnergyStar 2022

77

77

2020 ASHRAE Handbook – HVAC Systems & Equipment

Table 1 Heat Pump Sources and Sinks

		Suitability		Availability		Cost		Temperature		Common Practice	
Medium	Examples	Heat Source	Heat Sink	Location Relative to Need	Coincidence with Need	Installed	Operation and Maintenance	Level	Variation	Use	Limitations
AIR											
Outdoor	Ambient air	Good, but efficiency and capacity in heating mode decrease with decreasing outdoor air temperature	Good, but efficiency and capacity in cooling mode decrease with increasing outdoor air temperature	Universal	Continuous	Low	Moderate	Variable	Generally extreme	Most common, many standard products	Defrosting and supplemental heat usually required
Exhaust	Building ventilation	Excellent	Fair	Excellent if planned for in building design	Excellent	Low to moderate	Low unless exhaust is laden with dirt or grease	Excellent	Very low	Excellent as energy-conservation measure	Insufficient for typical loads
WATER											
Well *	Ground-water well may also provide potable water source	Excellent	Excellent	Poor to excellent; practical depth varies by location	Continuous	Low if existing well used or shallow wells suitable; can be high otherwise	Low, but periodic maintenance required	Generally excellent; varies by location	Extremely stable	Common	Water disposal and required permits may limit; may require double-wall exchangers; may foul or scale
Surface	Lakes, rivers, oceans	Excellent for large water bodies or high flow rates	Excellent for large water bodies or high flow rates	Limited; depends on proximity	Usually continuous	Depends on proximity and water quality	Depends on proximity and water quality	Usually satisfactory	Depends on source	Available, particularly for fresh water	Often regulated or prohibited; may clog, foul, or scale
Tap (city)	Municipal water supply	Excellent	Excellent	Excellent	Continuous	Low	Low energy cost, but water use and disposal may be costly	Excellent	Usually very low	Use is decreasing because of regulations	Use or disposal may be regulated or prohibited; may corrode or scale
Condensing	Cooling towers, re-refrigeration systems	Excellent	Poor to good	Varies	Varies with cooling loads	Usually low	Moderate	Favorable as heat source	Depends on source	Available	Suitable only if heating need is coincident with heat rejection
Closed loops	Building water-loop heat pump systems	Good; loop may need supplemental heat	Favorable; may need loop heat rejection	Excellent if designed as such	As needed	Low	Low to moderate	As designed	As designed	Very common	Most suitable for medium or large buildings
Waste	Raw or treated sewage, gray water	Fair to excellent source	Fair; varies with source	Varies	Varies; may be adequate	Depends on proximity; high for raw sewage	Varies; may be high for raw sewage	Excellent	Usually low	Uncommon; practical only in large systems	Usually regulated; may clog, foul, scale, or corrode

78

78

2020 ASHRAE Handbook – HVAC Systems & Equipment

Table 1 Heat Pump Sources and Sinks

		Suitability		Availability		Cost		Temperature		Common Practice	
Medium	Examples	Heat Source	Heat Sink	Location Relative to Need	Coincidence with Need	Installed	Operation and Maintenance	Level	Variation	Use	Limitations
GROUND ²											
Ground-coupled	Buried or submerged fluid loops	Good if ground is moist; other-wise poor	Fair to good if ground is moist; other-wise poor	Depends on soil suitability	Continuous	High to moderate	Low	Usually good	Low, particularly for vertical systems	Rapidly increasing	High initial costs for ground loop
Direct-expansion	Refrigerant circulated in ground coil	Varies with soil conditions	Varies with soil conditions	Varies with soil conditions	Continuous	High	High	Varies by design	Generally low	Extremely limited	Leak repair very expensive; requires large refrigerant quantities
SOLAR ENERGY											
Direct or heated water	Solar collectors and panels	Fair	Poor; usually unacceptable	Universal	Highly intermittent; night use requires storage	Extremely high	Moderate to high	Varies	Extreme	Very limited	Supplemental source or storage required
INDUSTRIAL PROCESS											
Process heat or exhaust	Distillation, molding, refining, washing, drying	Fair to excellent	Varies; often impractical	Varies	Varies	Varies	Generally low	Varies	Varies	Varies	May be costly unless heat need is near rejected source

² Groundwater-source heat pumps are also considered ground-source heat pump systems.

² Groundwater-source heat pumps are also considered ground-source heat pump systems.

79


79

Grid Transition to Renewables and Clean Fuels


- **Renewables** (discussed earlier – but for buildings, essentially utility-scale solar and wind)
- **Storage** – electric batteries, compressed air energy systems, pumped hydroelectric storage, flywheels, molten salt energy storage
- **Clean fuels** – renewable hydrogen, hydrogen-infused natural gas, bio-gases (landfill and agricultural methane)

80

80



81




82

Phasing Out Coal for Electricity Generation

Over 40 nations have agreed to phase out coal in the coming years.

However, in 2021 coal-powered/fueled electricity generation reached all-time highs.




<https://elements.visualcapitalist.com/how-far-are-we-from-phasing-out-coal/>

86

86

We have transitioned from other energy sources many times


Economic and technological advances over the last 200 years have transformed how we produce and consume energy. Here's the global mix of energy source since 1800.



<https://elements.visualcapitalist.com/the-history-of-energy-transitions/>

88

88



90

90

ASHRAE Building Decarbonization Resources

91

91

Why is ASHRAE involved?

- ASHRAE is the standards authority for energy performance, usage, and efficiency in buildings
- Many ASHRAE standards already include or are considering carbon metrics
- ASHRAE has best practices guides, guidelines, benchmarking, training and education
- ASHRAE has an international presence – with members in over 130 countries

92

92

ASHRAE Building Decarbonization Position Document

- Eliminating greenhouse gas (GHG) emissions from the built environment is essential to address climate change.
- By 2030, the global built environment must halve its 2015 GHG emissions, whereby
 - all new buildings must be net-zero GHG emissions in operation,
 - widespread energy efficiency retrofit of existing assets must be well underway, and
 - embodied carbon of new construction must be reduced by at least 40 percent.
- By 2050, at the latest, all new and existing assets must be net zero emissions across the whole life cycle.
- ASHRAE is committed to continued efforts relating to building decarbonization in the following areas:
 - Research and standards development
 - Design and equipment applications
 - Technical guidance and training
 - Regulatory guidelines and measures
 - Educational resources and outreach

93

93

ASHRAE Building Decarbonization Position Document

Carbon Reduction Principles

- Building design prioritize high-performance practices
- Building design and procurement decisions must account for embodied carbon
- Building metrics are an important tool for minimizing GHG emissions
- Increased energy efficiency and building-grid demand flexibility will be required to reduce the impact of building electrification
- Global electric grids must decarbonize for the building sector to decarbonize

94

94

ASHRAE Standards with Efficiency, Carbon and Refrigerant Emissions, and Renewables

Standard	Energy Efficiency	Operational Carbon Emissions	Embodied Carbon Emissions	Refrigerant Emissions	Renewables
15-2019: Safety Standard for Refrigeration Systems				✓	
34-2019: Designation and Safety Classification of Refrigerants				✓	
90.1-2019: Energy Standard for Buildings Except Low-Rise Residential Buildings	✓	⊙			✓
90.2-2018: Energy-Efficient Design of Low-Rise Residential Buildings	✓				✓
90.4-2019: Energy Standard for Data Centers	✓				
100-2018: Energy Efficiency in Existing Buildings	✓				
105-2014: Standard Methods of Determining, Expressing, and Comparing Building Energy Performance and Greenhouse Gas Emissions	✓	✓			✓

- ✓ Included in Standard
- ✓ Carbon calculation methodology included in Standard
- ⊙ Under consideration
- ✓ Included in proposed Standard
- ✓ Carbon calculation methodology included in proposed Standard

Note: Energy efficiency directly contributes to operational carbon emission reductions

103

103

ASHRAE Standards with Efficiency, Carbon and Refrigerant Emissions, and Renewables

Standard	Energy Efficiency	Operational Carbon Emissions	Embodied Carbon Emissions	Refrigerant Emissions	Renewables
189.1-2020: Standard for the Design of High-Performance Green Buildings	✓	✓	✓		✓
189.3-2021: Construction, and Operation of Sustainable High-Performance Health Care Facilities	✓	✓	✓	✓	✓
227P: Passive Building Design Standard	✓			✓	
228P: Standard Method for Evaluating Zero Net Energy and Zero Net Carbon Building Performance		✓		✓	✓
240P: Evaluating Greenhouse Gas (GHG) and Carbon Emissions in Building Design, Construction and Operation	✓	✓	✓	✓	✓

- ✓ Included in Standard
- ✓ Carbon calculation methodology included in Standard
- ✓ Under consideration
- ✓ Included in proposed Standard
- ✓ Carbon calculation methodology included in proposed Standard

Note: Energy efficiency directly contributes to operational carbon emission reductions.

104

104

2022-23 Task Force for Building Decarbonization Objectives


- Provide a comprehensive [plan for integrating building decarbonization activities into the ASHRAE structure](#)
- This plan would include recommendations for any changes required to the ASHRAE structure and streamlining current processes for speed and efficiency
- [Coordinate Task Force work with ASHRAE councils, committees](#) and task forces to align goals and eliminate bottlenecks –seek TC liaisons on all operational WGs
- Coordinate with and assist the Planning Committee to incorporate ASHRAE's [building decarbonization goals into the Society strategic plan](#)
- Report to the Board of Directors on progress and goals quarterly, including at the Winter and Annual meetings

106

106



107



108

Conclusions

- Buildings contribute 37% of global carbon emissions that contribute to climate change
- New buildings can lock in high emissions for decades
- Building decarbonization means energy efficiency, cleaner energy sources and moving to electricity from low-carbon sources
- As operational energy and carbon emissions are reduced, embodied carbon becomes increasingly important
- ASHRAE's extensive resources support membership 's Task Force for Building Decarbonization focuses efforts to engage with other organizations, provide information to policy makers, and recommending best practices for HVAC&R industry to decarbonize
- The TFBF Research / Knowledge Hub is identifying and archiving information, literature, and research for the Task Force and ASHRAE members

109

109

Thank you!

Questions?

Dru Crawley

DBCrawley@gmail.com



DrDru.Crawley



DruCrawley



@DruCrawley



Drury_Crawley

110

110

ASHRAE Decarbonization Resources

ASHRAE Task Force for Building Decarbonization

<https://www.ashrae.org/about/ashrae-task-force-for-building-decarbonization>

ASHRAE Position Documents

- **ASHRAE and CIBSE – Resiliency in the Built Environment**
https://www.ashrae.org/file%20library/about/position%20documents/ashrae_cibse_resiliencyinthebuiltenvironment_2019.pdf
- **Climate Change**
<https://www.ashrae.org/file%20library/about/position%20documents/ashrae-position-document-on-climate-change---2021.pdf>
- **Energy Efficiency in Buildings**
https://www.ashrae.org/file%20library/about/position%20documents/pd_energyefficiencyinbuildings_2020.pdf
- **Refrigerants and their Responsible Use**
https://www.ashrae.org/file%20library/about/position%20documents/pd_refrigerants-and-their-responsible-use-pd-6.29.2020.pdf
- **Building Decarbonization** (in progress)

111

111

ASHRAE Decarbonization Resources

ASHRAE Public Policy Issue Briefs

- **Building Decarbonization**
<https://www.ashrae.org/file%20library/about/government%20affairs/public%20policy%20resources/briefs/ppib-on-building-decarbonization.pdf>
- **Resiliency in the Built Environment**
<https://www.ashrae.org/file%20library/about/government%20affairs/public%20policy%20resources/briefs/resiliency-in-the-built-environment.pdf>
- **Climate Change and the Built Environment**
<https://www.ashrae.org/file%20library/about/government%20affairs/public%20policy%20resources/briefs/climate-change-and-the-built-environment.pdf>
- **Refrigerants and Their Responsible Use**
<https://www.ashrae.org/file%20library/about/government%20affairs/public%20policy%20resources/briefs/refrigerants-and-their-responsible-use.pdf>
- **Utilizing Energy Metrics and Building Benchmarking to Improve Whole Building Energy Performance**
<https://www.ashrae.org/file%20library/about/government%20affairs/public%20policy%20resources/briefs/building-energy-benchmarking--assessments--and-performance-targets.pdf>

112

112

ASHRAE Decarbonization Resources

ASHRAE Standards

- **ANSI/ASHRAE/IES 90.1-2019 Energy Standard for Buildings Except Low-Rise Residential Buildings**
<https://www.ashrae.org/technical-resources/bookstore/standard-90-1>
- **ANSI/ASHRAE Standard 90.2-2018 Energy Efficient Design of Low-Rise Residential Buildings**
https://www.techstreet.com/ashrae/standards/ashrae-90-2-2018?product_id=2030773
- **ANSI/ASHRAE 90.4-2019 Energy Standard for Data Centers**
https://www.techstreet.com/ashrae/standards/ashrae-90-4-2019?product_id=2092750
- **ANSI/ASHRAE Standard 105-2021 Expressing and Comparing Building Energy Performance and Greenhouse Gas Emissions**
https://www.techstreet.com/ashrae/standards/ashrae-105-2021?product_id=2242191
- **ANSI/ASHRAE/ICC/USGBC/IES 189.1-2020 Standard for the Design of High-Performance Green Buildings Except Low-Rise Residential Buildings**
https://www.techstreet.com/ashrae/standards/ashrae-189-1-2020?product_id=2202993
- **ANSI/ASHRAE/ASHE Standard 189.3-2017 Design, Construction and Operation of Sustainable High Performance Health Care Facilities**
https://www.techstreet.com/standards/ashrae-189-3-2017?product_id=1952161
- **SPC 227P Passive Building Design Standard**
<https://www.ashrae.org/technical-resources/standards-and-guidelines/titles-purposes-and-scopes#spc227>
- **SPC 228P Standard Method of Evaluating Zero Net Energy and Zero Net Carbon Building Performance**
<https://www.ashrae.org/technical-resources/standards-and-guidelines/titles-purposes-and-scopes#spc228>
- **SPC 240 P Evaluating Greenhouse Gas (GHG) and Carbon Emissions in Building Design, Construction and Operation**
<https://www.ashrae.org/technical-resources/standards-and-guidelines/titles-purposes-and-scopes#spc240p>

113

113

Other Major Decarbonization Resources

American Institute of Architects	https://www.aia.org/
BRE BREEAM	https://bregroup.com/products/breeam/
Building Green	https://www.buildinggreen.com
CDP North America	https://www.cdp.net/en
Chartered Institute of Building Services Engineers	https://cibse.org/
Energy & Climate Intelligence Unit	https://eciu.net/netzerotracker
Global Alliance for Buildings and Construction	https://globalabc.org/
Institute for Market Transformation	https://www.imt.org/
International Energy Agency	https://www.iea.org/
International Living Future Institute	https://living-future.org/
Intergovernmental Panel on Climate Change (United Nations)	https://www.ipcc.ch/
National Academy of Sciences	http://nasonline.org/
National Institute of Building Sciences	https://www.nibs.org/
Net Zero Tracker	https://zerotracker.net/
New Buildings Institute	https://newbuildings.org/
US Climate Alliance	https://www.usclimatealliance.org/
US Green Building Council	https://www.usgbc.org/
We Are Still In	https://www.wearestillin.com/
World Business Council for Sustainable Development	https://www.wbcsd.org/
World Economic Forum	https://www.weforum.org/
World Green Building Council	https://www.worldgbc.org/

114

114

References

- American Council for an Energy-Efficient Economy. 2022. *State and Local Policy Database*. <https://database.aceee.org/>
- Architecture 2030. 2022. *Why the Built Environment*. <https://architecture2030.org/why-the-building-sector/>
- ASHRAE. 2019. *ANSI/ASHRAE Standard 34-2019 Designation and Safety Classification of Refrigerants* https://www.techstreet.com/ashrae/standards/ashrae-15-2019-packaged-w-34-2019?product_id=2046531
- ASHRAE. 2020a. *ASHRAE Handbook – HVAC Systems and Equipment*. https://www.techstreet.com/ashrae/standards/2020-ashrae-handbook-hvac-systems-and-equipment-i-p?product_id=2121460
- ASHRAE. 2020b. *Smart Grid Application Guide: Integrating Facilities with the Electric Grid* https://www.techstreet.com/standards/smart-grid-application-guide-integrating-facilities-with-the-electric-grid?product_id=2097813
- ASHRAE. 2022a. *ASHRAE Terminology* <http://www.ashrae.org/ashraeterms>
- ASHRAE. 2022b. *ASHRAE Position Document on Building Decarbonization*, in preparation. Peachtree Corners: ASHRAE.
- ASHRAE. 2022c. *ASHRAE Task Force for Building Decarbonization*. <https://www.ashrae.org/about/ashrae-task-force-for-building-decarbonization>

115

115

References

- ASHRAE. 2022d. *ASHRAE Decarbonization Related Policies, Briefs, and Standards*. <https://www.ashrae.org/about/ashrae-decarbonization-related-policies-briefs-and-standards#related>
- Building Green. 2019. *Embodied Carbon Tools: Assessing the Options* <https://www.buildinggreen.com/news-analysis/embodied-carbon-tools-assessing-options>
- Bureau of Energy. 2017. *Energy Statistics Handbook 2016*. Taipei: BOE.
- Carbon Quest. 2022. <https://carbonquest.com/solution/>
- City of Boston. 2021. *Building Energy Reporting and Disclosure Ordinance*. <https://www.boston.gov/sites/default/files/file/2021/07/Docket%20%230775.PDF>
- Department for Business Energy and Industrial Strategy. 2017. *Energy Consumption in the UK*, London: BEIS.
- District of Columbia Department of Energy & Environment. 2021. *Guide to the 2021 Building Energy Performance Standards*. Washington: DOE.
- https://doee.dc.gov/sites/default/files/dc/sites/ddoe/publication/attachments/1_Guide%20to%20the%202021%20BEPs%20v1%203-30-21.pdf
- Electrical and Mechanical Services Department. 2017. *Hong Kong Energy End-Use Data 2017*, Hong Kong: EMSD.

116

116

References

- Energy and Climate Intelligence Unit. 2022. <https://eciu.net/netzerotracker>
- Energy Markets Authority. 2017. *2017 Singapore Energy Statistics*, Singapore: EMA.
- European Standards. 2011. *BS EN 15978:2011 Sustainability of construction works. Assessment of environmental performance of buildings. Calculation method*. <https://www.en-standard.eu/bs-en-15978-2011-sustainability-of-construction-works-assessment-of-environmental-performance-of-buildings-calculation-method/>
- Global Alliance for Buildings and Construction, International Energy Agency, and United Nations Environment Programme. 2020. *GlobalABC Roadmap for Buildings and Construction 2020-2050*. https://iea.blob.core.windows.net/assets/6cca78af-2327-4e97-868c-294d48cb66b3/GlobalABC_Roadmap_for_Buildings_and_Construction_2020-2050.pdf
- Intergovernmental Panel on Climate Change. 2000. *Good Practice Guidelines and Uncertainty Management in National Greenhouse Gas Inventories*. <https://www.ipcc.ch/publication/good-practice-guidance-and-uncertainty-management-in-national-greenhouse-gas-inventories/>
- Intergovernmental Panel on Climate Change. 2014. *Climate Change 2014: Mitigation of Climate Change*, Working Group III -IPCC Fifth Assessment Report. <https://www.ipcc.ch/report/ar5/wg3/drivers-trends-and-mitigation/>

117

117

References

- Intergovernmental Panel on Climate Change. 2018. *Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty* [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. Geneva: World Meteorological Organization
- International Energy Agency. 2020a. *Global energy use and energy-related CO₂ emissions by sector, 2020*, IEA: Paris <https://www.iea.org/data-and-statistics/charts/global-energy-use-and-energy-related-co2-emissions-by-sector-2020>
- International Energy Agency. 2020b. *Country Energy Balances by Sector*, Paris: IEA. <https://www.iea.org/countries>
- International Energy Agency. 2021a. *Net Zero by 2050 –A Roadmap for the Global Energy Sector*. IEA: Paris. <https://iea.blob.core.windows.net/assets/ad0d4830-bd7e-47b6-838c-40d115733c13/NetZeroBy2050-ARoadmapfortheGlobalEnergySector.pdf>
- International Energy Agency. 2021b. *Tracking Buildings 2021*, Paris: IEA. <https://www.iea.org/reports/tracking-buildings-2021>

118

118

References

- International Standards Organization. ISO 14025:2006 *Environmental Labels and Declarations – Type III Environmental Declarations – Principles and Procedures*. <https://www.iso.org/standard/38131.html>
- Keeling, C. D., S. C. Piper, R. B. Bacastow, M. Wahlen, T. P. Whorf, M. Heimann, and H. A. Meijer. 2001. *Exchanges of atmospheric CO₂ and 13CO₂ with the terrestrial biosphere and oceans from 1978 to 2000*. I. Global aspects, SIO Reference Series, No. 01-06, Scripps Institution of Oceanography: San Diego. https://scrippsco2.ucsd.edu/data/atmospheric_co2/icecore_merged_products.html
https://scrippsco2.ucsd.edu/data/atmospheric_co2/primary_mlo_co2_record.html
- National Academy of Sciences. 2021. *Accelerating Decarbonization of the US Energy System*. Washington: NAS. <https://nap.nationalacademies.org/catalog/25932/accelerating-decarbonization-of-the-us-energy-system>
- Natural Resources Defense Council. 2022. *City Climate Commitments*. <https://www.nrdc.org/sites/default/files/city-climate-commitments.pdf>
- Net Zero Tracker. 2022. <https://zerotracker.net/analysis/post-cop26-snapshot/>
- Richardson, Brenda. 2022. *Geothermal Heat Pumps are among the Most Earth-Friendly Home Energy Sources, Experts Say*. March 29, 2022. Washington: Washington Post. <https://www.washingtonpost.com/business/2022/03/29/home-geothermal-heat-pumps/>
- United Nations. 2022. *Global Issues: Population*. <https://www.un.org/en/global-issues/population>

119

119

References

- US Department of Energy. 2022. <https://www.energy.gov/energysaver/heat-pump-water-heaters>
- US Energy Information Administration. 2021a. *International Energy Outlook 2021*, DOE/EIA-0484(2021). Washington, DC: EIA. <https://www.eia.gov/outlooks/ieo/>
- US Energy Information Administration. 2021b. *Annual Energy Outlook EIA-0383 (2021)* (2020 data) <https://www.eia.gov/outlooks/aeo/>
- US Energy Information Administration. 2021c. *Monthly Energy Review*, Table 7.2a, January 2021 <https://www.eia.gov/totalenergy/data/monthly/> and *Electric Power Monthly*, February 2021, preliminary data for 2020, <https://www.eia.gov/electricity/monthly/>
- US Environmental Protection Agency. 2022. https://www.energystar.gov/products/heat_pump_dryer
- U S General Services Administration. 2022. *Sustainable Facilities Tool* <https://sftool.gov/plan/403/life-cycle-assessment-buildings>
- Visual Capitalist. 2022a. *Mapped: Solar and Wind Power by Country*. <https://elements.visualcapitalist.com/mapped-solar-and-wind-power-by-country/>
- Visual Capitalist. 2022b. *Visualizing the World's Loss of Forests Since the Ice-Age*. <https://www.visualcapitalist.com/visualizing-the-worlds-loss-of-forests-since-the-ice-age/>

120

120

References

Visual Capitalist. 2022c. *How Far are We from Phasing Out Coal?* <https://elements.visualcapitalist.com/how-far-are-we-from-phasing-out-coal/>

Visual Capitalist. 2022d. *Ranked: Emissions per Capita of the Top 30 U.S. Investor-Owned Utilities* <https://www.visualcapitalist.com/emissions-per-capita-of-top-30-u-s-investor-owned-utilities/>

Visual Capitalist. 2022e. *The History of Energy Transitions*. <https://elements.visualcapitalist.com/the-history-of-energy-transitions/>

Wikipedia. 2022. <https://en.wikipedia.org/wiki/Afforestation>

WLCN/LETI/RIBA. 2021. *Improving Consistency in Whole Life Carbon Assessment and Reporting: Carbon Definitions for the Built Environment, Buildings and Infrastructure*, May 2021. RIBA: London. <https://asbp.org.uk/wp-content/uploads/2021/05/LETI-Carbon-Definitions-for-the-Built-Environment-Buildings-Infrastructure.pdf>

World Business Council for Sustainable Development. 2021. *Decarbonizing construction: Guidance for investors and developers to reduce embodied carbon*. <https://www.wbcsd.org/contentwbc/download/12455/185688/1>

World Economic Forum. 2015. *What's the Path to Deep Decarbonization?* <https://www.weforum.org/agenda/2015/12/whats-the-path-to-deep-decarbonization/>